EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurais | Time Stamp |
|----------|-------|---|---|---------------------|---------|------------------|
| L1 | 0 | "plasma display panel with color space transformation device".ti. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 06:22 |
| L2 | 89 | Yu.in. and chunghwa.as. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 06:41 |
| L3 | 63 | kao.in. and chunghwa.as. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 06:44 |
| L4 | 37 | 3 not 2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 06:41 |
| L5 | 13 | shan.in. and chunghwa.as. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 06:46 |
| L6 | 130 | lin.in. and chunghwa.as. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 06:46 |
| L7 | 102 | 6 not 2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 07:29 |
| L13 | 41761 | PDP (plasma adj2 display adj2 panel) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 07:34 |
| L14 | 3321 | color\$2 adj4 transformatio\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 07:37 |

EAST Search History

| | 104 | 1 | 1 | | | T |
|-----|---------|--|---|----|----|------------------|
| L15 | 1247255 | board\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 07:35 |
| L16 | 2 | 13 same 14 same 15 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 07:36 |
| L17 | 5 | 13 same 14 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 07:39 |
| L18 | 5836 | color\$2 adj4 transform\$9 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 07:42 |
| L19 | 7 | 13 same 18 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 07:44 |
| L20 | 41195 | color\$2 adj4 (transform\$9 conver\$7 alter\$5 reconstruc\$7) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 07:44 |
| L21 | 68 | 13 same 20 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 07:44 |
| L22 | 78780 | color\$2 adj4 (chang\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 07:44 |
| L23 | 81 | 13 same 22 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 07:58 |



Day: Thursday Date: 4/13/2006

Time: 06:19:52

Inventor Name Search Result

Your Search was:

Last Name = YU

First Name = YI-SHENG

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|--------------|---------------|--------|------------|---|---------------|
| 09859398 | 6441563 | 150 | 05/18/2001 | DYNAMIC COLOR TEMPERATURE AND COLOR DEVIATION CALIBRATION METHOD | YU, YI-SHENG |
| 09859400 | Not Issued | 161 | 05/18/2001 | Compensation method for improving color saturation and image quality of plasma display panel by adjusting the strength of input image signals | YU, YI-SHENG |
| 09870786 | 6495967 | 150 | 06/01/2001 | DISCHARGE CELLS BETWEEN BARRIER WALLS OF ALTERNATING CURRENT DISCHARGE TYPE PLASMA DISPLAY PANEL | YU, YI-SHENG |
| 10064613 | Not Issued | 93 | 07/31/2002 | COLOR ADJUSTMENT DEVICE AND METHOD FOR PLASMA DISPLAY PANEL | YU, YI-SHENG |
| 10101719 | 6737804 | 150 | 03/21/2002 | BARRIER RIB STRUCTURE FOR PLASMA DISPLAY PANEL | YU, YI-SHENG |
| 10106494 | 6720732 | 150 | 03/27/2002 | BARRIER RIB STRUCTURE FOR PLASMA DISPLAY PANEL | YU, YI-SHENG |
| 10315541 | 6794819 | 150 | 12/10/2002 | ELECTRODE STRUCTURE WITH WHITE BALANCE ADJUSTMENT | YU, YI-SHENG |
| 10664886 | Not Issued | 30 | 09/22/2003 | Plasma display panel with color space transformation device | YU, YI-SHENG |
| 10665435 | 6911785 | 150 | 09/22/2003 | PLASMA DISPLAY PANEL WITH GRAY LEVEL WHITE BALANCE DEVICE | YU, YI-SHENG |
| 11098102 | Not Issued | 20 | 04/04/2005 | Apparatus and method for increasing the display gray level | YU, YI-SHENG |
| | | | 1 | II | II |

| 11199945 | Not Issued | 20 | Dynamic image saturation enhancement apparatus | YU, YI-SHENG |
|----------|---------------|----|---|--------------|
| 11199952 | Not Issued | 30 | Dynamic image contrast enhancement device | YU, YI-SHENG |
| 11199953 | Not Issued | 20 | Apparatus and method for adjusting inputted image on the basis of characteristics of display system | YU, YI-SHENG |
| 11329177 | Not Issued | 20 | Method for compensating a brightness error of a flat panel display | YU, YI-SHENG |

Inventor Search Completed: No Records to Display.

| | Last Name | First Name | |
|--------------------------|-----------|------------|--------|
| Search Another: Inventor | YU | YI-SHENG | Search |

To go back use Back button on your browser toolbar.



Day: Thursday Date: 4/13/2006

Time: 06:20:17

Inventor Name Search Result

Your Search was:

Last Name = KAO

First Name = HSU-PIN

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|-----------------|---------------|--------|------------|---|---------------|
| 10064527 | Not Issued | 41 | 07/24/2002 | Brightness correction apparatus and method for plasma display | KAO, HSU-PIN |
| 10064613 | Not Issued | 93 | 07/31/2002 | COLOR ADJUSTMENT DEVICE AND METHOD FOR PLASMA DISPLAY PANEL | KAO, HSU-PIN |
| 10106494 | 6720732 | 150 | 03/27/2002 | BARRIER RIB STRUCTURE FOR PLASMA DISPLAY PANEL | KAO, HSU-PIN |
| 10191872 | Not Issued | 161 | 07/09/2002 | Barrier rib structure for plasma display panel | KAO, HSU-PIN |
| <u>10192356</u> | Not Issued | 161 | 07/09/2002 | High efficiency electrode structure for plasma display panel | KAO, HSU-PIN |
| 10192380 | 6791265 | 150 | 07/09/2002 | DRIVING ELECTRODE STRUCTURE OF PLASMA DISPLAY PANEL | KAO, HSU-PIN |
| 10315345 | 6864632 | 150 | 12/09/2002 | FRONT PLATE STRUCTURE FOR PLASMA DISPLAY PANEL | KAO, HSU-PIN |
| 10315541 | 6794819 | 150 | 12/10/2002 | ELECTRODE STRUCTURE WITH WHITE BALANCE ADJUSTMENT | KAO, HSU-PIN |
| 10372291 | 6900591 | 150 | 02/25/2003 | DRIVING ELECTRODE STRUCTURE OF PLASMA DISPLAY PANEL | KAO, HSU-PIN |
| 10419745 | Not Issued | 161 | 04/22/2003 | Address electrode structure for plasma display panel | KAO, HSU-PIN |
| 10663262 | Not Issued | 61 | | Transparent electrode structure for plasma display panel | KAO, HSU-PIN |
| <u>10664886</u> | Not Issued | 30 | 09/22/2003 | Plasma display panel with color space transformation device | KAO, HSU-PIN |
| 10665435 | 6911785 | 150 | 09/22/2003 | PLASMA DISPLAY PANEL | KAO, HSU-PIN |

| | | | | WITH GRAY LEVEL WHITE BALANCE DEVICE | |
|----------|---------------|-----|------------|---|--------------|
| 10750749 | 6987357 | 150 | 01/02/2004 | DRIVING ELECTRODE STRUCTURE OF PLASMA DISPLAY PANEL | KAO, HSU-PIN |
| 10753345 | Not Issued | 41 | 01/09/2004 | Plasma display panel and the manufacturing method thereof | KAO, HSU-PIN |
| 10866083 | 7034459 | 150 | 06/14/2004 | FRONT PANEL STRUCTURE OF PLASMA DISPLAY PANEL | KAO, HSU-PIN |
| 11007204 | Not Issued | 30 | 12/09/2004 | Plasma display panel having a plurality of bi-discharge sources and related method of sustaining discharge waveform | KAO, HSU-PIN |
| 11098102 | Not Issued | 20 | 04/04/2005 | Apparatus and method for increasing the display gray level | KAO, HSU-PIN |
| 11099045 | Not Issued | 20 | 04/05/2005 | High speed and high accuracy image adjusting apparatus and method thereof | KAO, HSU-PIN |
| 11199945 | Not Issued | 20 | 08/08/2005 | Dynamic image saturation enhancement apparatus | KAO, HSU-PIN |
| 11199952 | Not Issued | 30 | 08/08/2005 | Dynamic image contrast enhancement device | KAO, HSU-PIN |
| 11199953 | Not Issued | 20 | 08/08/2005 | Apparatus and method for adjusting inputted image on the basis of characteristics of display system | KAO, HSU-PIN |
| 11329177 | Not Issued | 20 | 01/11/2006 | Method for compensating a brightness error of a flat panel display | KAO, HSU-PIN |

Inventor Search Completed: No Records to Display.

| | Last Name | First Name | |
|-----------------|-----------|------------|--------|
| Search Another: | Inventor | HSU-PIN | Search |

To go back use Back button on your browser toolbar.



Day: Thursday Date: 4/13/2006

Time: 06:20:43

Inventor Name Search Result

Your Search was:

Last Name = SHAN First Name = YI-CHIA

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|--------------|----------------|--------|------------|---|---------------|
| 10064527 | Not Issued | 41 | 07/24/2002 | Brightness correction apparatus and method for plasma display | SHAN, YI-CHIA |
| 10064613 | Not Issued | 93 | 07/31/2002 | COLOR ADJUSTMENT DEVICE AND METHOD FOR PLASMA DISPLAY PANEL | SHAN, YI-CHIA |
| 10664886 | Not Issued | 30 | 09/22/2003 | Plasma display panel with color space transformation device | SHAN, YI-CHIA |
| 10665435 | <u>6911785</u> | 150 | 09/22/2003 | PLASMA DISPLAY PANEL WITH GRAY LEVEL WHITE BALANCE DEVICE | SHAN, YI-CHIA |
| 11098102 | Not Issued | 20 | 04/04/2005 | Apparatus and method for increasing the display gray level | SHAN, YI-CHIA |
| 11199953 | Not Issued | 20 | | Apparatus and method for adjusting inputted image on the basis of characteristics of display system | SHAN, YI-CHIA |
| 11329177 | Not Issued | 20 | 01/11/2006 | Method for compensating a brightness error of a flat panel display | SHAN, YI-CHIA |

Inventor Search Completed: No Records to Display.

| | Last Name | First Name | |
|--------------------------|-----------|------------|--------|
| Search Another: Inventor | SHAN | I-CHIA | Search |

To go back use Back button on your browser toolbar.



Day: Thursday Date: 4/13/2006

Time: 06:20:55

Inventor Name Search Result

Your Search was:

Last Name = LIN

First Name = CHING-HUI

| A 11 | D | G. | D | lent at | |
|-----------------|---------------|-----|------------|---|----------------|
| Application# | | | | | Inventor Name |
| 09516229 | 6468719 | 150 | 03/01/2000 | METHOD OF FABRICATING A FRONT SUBSTRATE FOR AC PLASMA DISPLAY PANEL | LIN, CHING-HUI |
| 09544474 | Not Issued | 161 | | Back panel for ac plasma display panel | LIN, CHING-HUI |
| 09859398 | 6441563 | 150 | 05/18/2001 | DYNAMIC COLOR TEMPERATURE AND COLOR DEVIATION CALIBRATION METHOD | LIN, CHING-HUI |
| 09859400 | Not Issued | 161 | 05/18/2001 | Compensation method for improving color saturation and image quality of plasma display panel by adjusting the strength of input image signals | LIN, CHING-HUI |
| 09859401 | 6630918 | 150 | 05/18/2001 | COMPENSATION METHOD FOR IMPROVING COLOR PURITY AND COLOR TEMPERATURE OF PLASMA DISPLAY PANEL BY ADJUSTING THE STRENGTH OF INPUT IMAGE SIGNALS | LIN, CHING-HUI |
| <u>09870786</u> | 6495967 | 150 | 06/01/2001 | DISCHARGE CELLS BETWEEN BARRIER WALLS OF ALTERNATING CURRENT DISCHARGE TYPE PLASMA DISPLAY PANEL | LIN, CHING-HUI |
| 09983453 | Not Issued | 161 | 10/24/2001 | Method and apparatus for reducing dynamic false contour in plasma display panel | LIN, CHING-HUI |
| 10101719 | 6737804 | 150 | i . | BARRIER RIB STRUCTURE FOR PLASMA DISPLAY PANEL | LIN, CHING-HUI |
| <u>10106494</u> | 6720732 | 150 | | BARRIER RIB STRUCTURE FOR PLASMA DISPLAY | LIN, CHING-HUI |

| | | | | PANEL | |
|-----------------|---------------|-----|------------|--|----------------|
| 10191872 | Not Issued | 161 | 07/09/2002 | Barrier rib structure for plasma display panel | LIN, CHING-HUI |
| 10192380 | 6791265 | 150 | 07/09/2002 | DRIVING ELECTRODE STRUCTURE OF PLASMA DISPLAY PANEL | LIN, CHING-HUI |
| 10248711 | Not Issued | 83 | 02/12/2003 | METHOD AND APPARATUS FOR IMPROVING GRAY- SCALE LINEARITY OF PLASMA DISPLAY | LIN, CHING-HUI |
| 10315541 | 6794819 | 150 | 12/10/2002 | ELECTRODE STRUCTURE WITH WHITE BALANCE ADJUSTMENT | LIN, CHING-HUI |
| 10383667 | Not Issued | 161 | 03/07/2003 | Combination of handle with cover | LIN, CHING-HUI |
| <u>10664886</u> | Not Issued | 30 | | Plasma display panel with color space transformation device | LIN, CHING-HUI |
| <u>10728576</u> | Not Issued | 93 | | ADJUSTABLE LASER MODULE | LIN, CHING-HUI |
| 10750749 | 6987357 | 150 | 01/02/2004 | DRIVING ELECTRODE STRUCTURE OF PLASMA DISPLAY PANEL | LIN, CHING-HUI |
| 10753345 | Not Issued | 41 | 01/09/2004 | Plasma display panel and the manufacturing method thereof | LIN, CHING-HUI |
| 10866083 | 7034459 | 150 | 06/14/2004 | FRONT PANEL STRUCTURE OF PLASMA DISPLAY PANEL | LIN, CHING-HUI |
| 10907832 | Not Issued | 30 | 04/18/2005 | Method for Manufacturing Electrodes of A Plasma Display Panel | LIN, CHING-HUI |
| 11160804 | Not Issued | 30 | 07/11/2005 | Rear Plate Structure and Manufacturing Method thereof for a Plasma Display Panel | LIN, CHING-HUI |
| 11306258 | Not Issued | 19 | 01/01/0001 | PLASMA DISPLAY PANEL WITHOUT TRANSPARENT ELECTRODES | LIN, CHING-HUI |

Inventor Search Completed: No Records to Display.

| Search Another: Inventor | Last Name | First Name | |
|--------------------------|-----------|------------------|--|
| | LIN | CHING-HUI Search | |

To go back use Back button on your browser toolbar.